



Orthopedic Implant



Company Profile

VISHAL SURGITECH is one of the most reputed and rapidly growing orthopedic companies In India. We have been in business for more than a decade and have been continuously innovating and improving our products. Our main focus areas are Surgical instruments and implants and of late we have also been diversifying in the design and manufacture of Surgical equipments. While our dealer network spans almost all of India.

VISHAL SURGITECH is a leading manufacturer of quality surgical equipment for high surgical requirements. Our offering includes surgical, dental that are designed as per the international quality standards & medical parameters. We aspire to become a Global Healthcare' brand identity synonymous with nurturing healthcare, eternal values, strong ethics and global quality of highest standards in surgical equipment.

We are manufacturing all types of EXTERNAL FIXTURES, TRAUMA IMPLANTS, SPINAL IMPLANTS & INSTRUMENT.

VISHAL SURGITECH is known synonymous with high quality, efficient service and close correspondence with its customers. Its success depends upon those who work for it and equally on those who work with it.

Bone Screws



CAT. No. : BS.03 / TBS.03

Cortex Screws Dia. 2.7mm (Stainless Steel & Titanium)

Length	Stainless Steel	Titanium
6mm	BS.03.06	TBS.03.06
8mm	BS.03.08	TBS.03.08
10mm	BS.03.10	TBS.03.10
12mm	BS.03.12	TBS.03.12
14mm	BS.03.14	TBS.03.14
16mm	BS.03.16	TBS.03.16
18mm	BS.03.18	TBS.03.18
20mm	BS.03.20	TBS.03.20
22mm	BS.03.22	TBS.03.22
24mm	BS.03.24	TBS.03.24
26mm	BS.03.26	TBS.03.26
28mm	BS.03.28	TBS.03.28
30mm	BS.03.30	TBS.03.30



CAT. No. : BS.05 / TBS.05

Cortex Screws Dia. 3.5mm (Stainless Steel & Titanium)(Pitch : 1.25mm)

Length	Stainless Steel	Titanium
10mm	BS.05.10	TBS.05.10
12mm	BS.05.12	TBS.05.12
14mm	BS.05.14	TBS.05.14
16mm	BS.05.16	TBS.05.16
18mm	BS.05.18	TBS.05.18
20mm	BS.05.20	TBS.05.20
22mm	BS.05.22	TBS.05.22
24mm	BS.05.24	TBS.05.24
26mm	BS.05.26	TBS.05.26
28mm	BS.05.28	TBS.05.28
30mm	BS.05.30	TBS.05.30
32mm	BS.05.32	TBS.05.32
34mm	BS.05.34	TBS.05.34
36mm	BS.05.36	TBS.05.36
38mm	BS.05.38	TBS.05.38
40mm	BS.05.40	TBS.05.40
42mm	BS.05.42	TBS.05.42
44mm	BS.05.44	TBS.05.44
46mm	BS.05.46	TBS.05.46
48mm	BS.05.48	TBS.05.48
50mm	BS.05.50	TBS.05.50



CAT. No. : BS.07 / TBS.07

Cortex Screws Dia. 3.5mm (Stainless Steel & Titanium)(Pitch : 1.75mm)


Length	Stainless Steel	Titanium
10mm	BS.07.10	TBS.07.10
12mm	BS.07.12	TBS.07.12
14mm	BS.07.14	TBS.07.14
16mm	BS.07.16	TBS.07.16
18mm	BS.07.18	TBS.07.18
20mm	BS.07.20	TBS.07.20
22mm	BS.07.22	TBS.07.22
24mm	BS.07.24	TBS.07.24
26mm	BS.07.26	TBS.07.26
28mm	BS.07.28	TBS.07.28
30mm	BS.07.30	TBS.07.30
32mm	BS.07.32	TBS.07.32
34mm	BS.07.34	TBS.07.34
36mm	BS.07.36	TBS.07.36
38mm	BS.07.38	TBS.07.38
40mm	BS.07.40	TBS.07.40
42mm	BS.07.42	TBS.07.42
44mm	BS.07.44	TBS.07.44
46mm	BS.07.46	TBS.07.46
48mm	BS.07.48	TBS.07.48
50mm	BS.07.50	TBS.07.50



CAT. No. : BS.22 / TBS.22

Washer 10.0mm for Small Screws (Stainless Steel & Titanium)
10.0mm / 4.6mm

Outer Ø	Stainless Steel	Titanium
7	BS.22.07	TBS.22.07
13	BS.22.13	TBS.22.13





Bone Screw

CAT. No. : BS.09 / TBS.09

4.5mm Cortex Screw (Pitch : 1.75mm)

Length	Stainless Steel	Titanium
14mm	BS.09.14	TBS.09.14
16mm	BS.09.16	TBS.09.16
18mm	BS.09.18	TBS.09.18
20mm	BS.09.20	TBS.09.20
22mm	BS.09.22	TBS.09.22
24mm	BS.09.24	TBS.09.24
26mm	BS.09.26	TBS.09.26
28mm	BS.09.28	TBS.09.28
30mm	BS.09.30	TBS.09.30
32mm	BS.09.32	TBS.09.32
34mm	BS.09.34	TBS.09.34
36mm	BS.09.36	TBS.09.36
38mm	BS.09.38	TBS.09.38
40mm	BS.09.40	TBS.09.40
42mm	BS.09.42	TBS.09.42
44mm	BS.09.44	TBS.09.44
46mm	BS.09.46	TBS.09.46
48mm	BS.09.48	TBS.09.48
50mm	BS.09.50	TBS.09.50
52mm	BS.09.52	TBS.09.52
54mm	BS.09.54	TBS.09.54
56mm	BS.09.56	TBS.09.56
58mm	BS.09.58	TBS.09.58
60mm	BS.09.60	TBS.09.60



CAT. No. : BS.11 / TBS.11

4.0mm Cancellous Screw (Short Th.)(Pitch : 1.75mm)

Length	Stainless Steel	Titanium
10mm	BS.11.10	TBS.11.10
12mm	BS.11.12	TBS.11.12
14mm	BS.11.14	TBS.11.14
16mm	BS.11.16	TBS.11.16
18mm	BS.11.18	TBS.11.18
20mm	BS.11.20	TBS.11.20
22mm	BS.11.22	TBS.11.22
24mm	BS.11.24	TBS.11.24
26mm	BS.11.26	TBS.11.26
28mm	BS.11.28	TBS.11.28
30mm	BS.11.30	TBS.11.30
35mm	BS.11.35	TBS.11.35
40mm	BS.11.40	TBS.11.40
45mm	BS.11.45	TBS.11.45
50mm	BS.11.50	TBS.11.50
55mm	BS.11.55	TBS.11.55
60mm	BS.11.60	TBS.11.60



CAT. No. : BS.12 / TBS.12

4.0mm Cancellous Screw (Full Th.)(Pitch : 1.75mm)

Length	Stainless Steel	Titanium
10mm	BS.12.10	TBS.12.10
12mm	BS.12.12	TBS.12.12
14mm	BS.12.14	TBS.12.14
16mm	BS.12.16	TBS.12.16
18mm	BS.12.18	TBS.12.18
20mm	BS.12.20	TBS.12.20
22mm	BS.12.22	TBS.12.22
24mm	BS.12.24	TBS.12.24
26mm	BS.12.26	TBS.12.26
28mm	BS.12.28	TBS.12.28
30mm	BS.12.30	TBS.12.30
35mm	BS.12.35	TBS.12.35
40mm	BS.12.40	TBS.12.40
45mm	BS.12.45	TBS.12.45
50mm	BS.12.50	TBS.12.50
55mm	BS.12.55	TBS.12.55
60mm	BS.12.60	TBS.12.60



Bone Screw



CAT. No. : BS.13 / TBS.13

Cancellous Screw Dia. 6.5mm (16mm Thread)

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
20mm	BS.13.20	TBS.13.20	75mm	BS.13.75	TBS.13.75
25mm	BS.13.25	TBS.13.25	80mm	BS.13.80	TBS.13.80
30mm	BS.13.30	TBS.13.30	85mm	BS.13.85	TBS.13.85
35mm	BS.13.35	TBS.13.35	90mm	BS.13.90	TBS.13.90
40mm	BS.13.40	TBS.13.40	95mm	BS.13.95	TBS.13.95
45mm	BS.13.45	TBS.13.45	100mm	BS.13.100	TBS.13.100
50mm	BS.13.50	TBS.13.50	105mm	BS.13.105	TBS.13.105
55mm	BS.13.55	TBS.13.55	110mm	BS.13.110	TBS.13.110
60mm	BS.13.60	TBS.13.60	115mm	BS.13.115	TBS.13.115
65mm	BS.13.65	TBS.13.65	120mm	BS.13.120	TBS.13.120
70mm	BS.13.70	TBS.13.70			

Profile

Threaded Diameter	: 6.5mm
Threaded Length	: 16.0mm
Drill Bit for Threading Hole	: 3.2mm
Shaft Diameter	: 4.5mm
Drill Bit for Shaft Optional	: 4.5mm
Core Diameter	: 3.0mm
Hexagonal Socket Width	: 3.5mm
Head Diameter	: 8.0mm



CAT. No. : BS.14 / TBS.14

Cancellous Screw Dia. 6.5mm (32mm Thread)

Length	Stainless Steel	Titanium
45mm	BS.14.45	TBS.14.45
50mm	BS.14.50	TBS.14.50
55mm	BS.14.55	TBS.14.55
60mm	BS.14.60	TBS.14.60
65mm	BS.14.65	TBS.14.65
70mm	BS.14.70	TBS.14.70
75mm	BS.14.75	TBS.14.75
80mm	BS.14.80	TBS.14.80
85mm	BS.14.85	TBS.14.85
90mm	BS.14.90	TBS.14.90
95mm	BS.14.95	TBS.14.95
100mm	BS.14.100	TBS.14.100
105mm	BS.14.105	TBS.14.105
110mm	BS.14.110	TBS.14.110
115mm	BS.14.115	TBS.14.115
120mm	BS.14.120	TBS.14.120

Profile

Threaded Diameter	: 6.5mm
Threaded Length	: 32.0mm
Drill Bit for Threading Hole	: 3.2mm
Shaft Diameter	: 4.5mm
Drill Bit for Shaft Optional	: 4.5mm
Core Diameter	: 3.0mm
Hexagonal Socket Width	: 3.5mm
Head Diameter	: 8.0mm



CAT. No. : BS.15 / TBS.15

Cancellous Screw Dia. 6.5mm (Full Thread)

Length	Stainless Steel	Titanium
20mm	BS.15.20	TBS.15.20
25mm	BS.15.25	TBS.15.25
30mm	BS.15.30	TBS.15.30
35mm	BS.15.35	TBS.15.35
40mm	BS.15.40	TBS.15.40
45mm	BS.15.45	TBS.15.45
50mm	BS.15.50	TBS.15.50
55mm	BS.15.55	TBS.15.55
60mm	BS.15.60	TBS.15.60
65mm	BS.15.65	TBS.15.65
70mm	BS.15.70	TBS.15.70
75mm	BS.15.75	TBS.15.75
80mm	BS.15.80	TBS.15.80
85mm	BS.15.85	TBS.15.85
90mm	BS.15.90	TBS.15.90
95mm	BS.15.95	TBS.15.95
100mm	BS.15.100	TBS.15.100
105mm	BS.15.105	TBS.15.105
110mm	BS.15.110	TBS.15.110
115mm	BS.15.115	TBS.15.115
120mm	BS.15.120	TBS.15.120

Profile

Threaded Diameter	: 6.5mm
Drill Bit for Threading Hole	: 3.2mm
Core Diameter	: 3.0mm
Hexagonal Socket Width	: 3.5mm
Head Diameter	: 8.0mm



CAT. No. : BS.23 / TBS.23

Malleolar Screws Dia. 4.5mm

Length	Stainless Steel	Titanium
20mm	BS.23.20	TBS.23.20
25mm	BS.23.25	TBS.23.25
30mm	BS.23.30	TBS.23.30
35mm	BS.23.35	TBS.23.35
40mm	BS.23.40	TBS.23.40
45mm	BS.23.45	TBS.23.45
50mm	BS.23.50	TBS.23.50
55mm	BS.23.55	TBS.23.55
60mm	BS.23.60	TBS.23.60
65mm	BS.23.65	TBS.23.65
70mm	BS.23.70	TBS.23.70
75mm	BS.23.75	TBS.23.75
80mm	BS.23.80	TBS.23.80
85mm	BS.23.85	TBS.23.85
90mm	BS.23.90	TBS.23.90

Profile

Threaded Diameter	: 4.5mm
Drill Bit for Threading Hole	: 3.2mm
Shaft Diameter	: 3.0mm
Core Diameter	: 3.0mm
Hexagonal Socket Width	: 3.5mm
Head Diameter	: 8.0mm





Bone Screw

CAT. No. : BS.16 / TBS.16

Cannulated Cancellous Screw Dia. 4.0mm (Short Thread)

Length	Stainless Steel	Titanium
10mm	BS.16.10	TBS.16.10
12mm	BS.16.12	TBS.16.12
14mm	BS.16.14	TBS.16.14
16mm	BS.16.16	TBS.16.16
18mm	BS.16.18	TBS.16.18
20mm	BS.16.20	TBS.16.20
22mm	BS.16.22	TBS.16.22
24mm	BS.16.24	TBS.16.24
26mm	BS.16.26	TBS.16.26
28mm	BS.16.28	TBS.16.28
30mm	BS.16.30	TBS.16.30
35mm	BS.16.35	TBS.16.35
40mm	BS.16.40	TBS.16.40
45mm	BS.16.45	TBS.16.45
50mm	BS.16.50	TBS.16.50
55mm	BS.16.55	TBS.16.55
60mm	BS.16.60	TBS.16.60



CAT. No. : BS.17 / TBS.17

Cannulated Cancellous Screw Dia. 4.0mm (Fully Thread)

Length	Stainless Steel	Titanium
10mm	BS.17.10	TBS.17.10
12mm	BS.17.12	TBS.17.12
14mm	BS.17.14	TBS.17.14
16mm	BS.17.16	TBS.17.16
18mm	BS.17.18	TBS.17.18
20mm	BS.17.20	TBS.17.20
22mm	BS.17.22	TBS.17.22
24mm	BS.17.24	TBS.17.24
26mm	BS.17.26	TBS.17.26
28mm	BS.17.28	TBS.17.28
30mm	BS.17.30	TBS.17.30
35mm	BS.17.35	TBS.17.35
40mm	BS.17.40	TBS.17.40
45mm	BS.17.45	TBS.17.45
50mm	BS.17.50	TBS.17.50
55mm	BS.17.55	TBS.17.55
60mm	BS.17.60	TBS.17.60



CAT. No. : BS.18 / TBS.18

Cannulated Cancellous Screw Dia. 6.5mm (16mm Thread)

Length	Stainless Steel	Titanium
30mm	BS.18.30	TBS.18.30
35mm	BS.18.35	TBS.18.35
40mm	BS.18.40	TBS.18.40
45mm	BS.18.45	TBS.18.45
50mm	BS.18.50	TBS.18.50
55mm	BS.18.55	TBS.18.55
60mm	BS.18.60	TBS.18.60
65mm	BS.18.65	TBS.18.65
70mm	BS.18.70	TBS.18.70
75mm	BS.18.75	TBS.18.75
80mm	BS.18.80	TBS.18.80
85mm	BS.18.85	TBS.18.85
90mm	BS.18.90	TBS.18.90
95mm	BS.18.95	TBS.18.95
100mm	BS.18.100	TBS.18.100
105mm	BS.18.105	TBS.18.105
110mm	BS.18.110	TBS.18.110



CAT. No. : BS.19 / TBS.19

Cannulated Cancellous Screw Dia. 6.5mm (32mm Thread)

Length	Stainless Steel	Titanium
40mm	BS.18.40	TBS.18.40
45mm	BS.18.45	TBS.18.45
50mm	BS.18.50	TBS.18.50
55mm	BS.18.55	TBS.18.55
60mm	BS.18.60	TBS.18.60
65mm	BS.18.65	TBS.18.65
70mm	BS.18.70	TBS.18.70
75mm	BS.18.75	TBS.18.75
80mm	BS.18.80	TBS.18.80
85mm	BS.18.85	TBS.18.85
90mm	BS.18.90	TBS.18.90
95mm	BS.18.95	TBS.18.95
100mm	BS.18.100	TBS.18.100
105mm	BS.18.105	TBS.18.105
110mm	BS.18.110	TBS.18.110



Bone Plate



CAT. No. : BP01 / TBP01

Dynamic Compression Plate (DCP) 3.5mm Small (Stainless Steel & Titanium)


Hole	Stainless Steel	Titanium	Length
4mm	BP01.04	TBP01.04	50mm
5mm	BP01.05	TBP01.05	62mm
6mm	BP01.06	TBP01.06	74mm
7mm	BP01.07	TBP01.07	86mm
8mm	BP01.08	TBP01.08	98mm
9mm	BP01.09	TBP01.09	110mm
10mm	BP01.10	TBP01.10	122mm
11mm	BP01.11	TBP01.11	134mm
12mm	BP01.12	TBP01.12	146mm



CAT. No. : BP02 / TBP02

Limited Contact Dynamic Compression Plate (LC-DCP) 3.5mm Small (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
4mm	BP02.04	TBP02.04	51mm
5mm	BP02.05	TBP02.05	64mm
6mm	BP02.06	TBP02.06	77mm
7mm	BP02.07	TBP02.07	90mm
8mm	BP02.08	TBP02.08	103mm
9mm	BP02.09	TBP02.09	116mm
10mm	BP02.10	TBP02.10	129mm
11mm	BP02.11	TBP02.11	142mm
12mm	BP02.12	TBP02.12	155mm



CAT. No. : BP03 / TBP03

Small T-Plate 3.5mm (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP03.03	TBP03.03	50mm
4 Hole	BP03.04	TBP03.04	56mm
5 Hole	BP03.05	TBP03.05	67mm
6 Hole	BP03.06	TBP03.06	78mm
7 Hole	BP03.07	TBP03.07	89mm
8 Hole	BP03.08	TBP03.08	102mm



CAT. No. : BP04 / TBP04

Small Oblique T-Plate 3.5mm (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP04.03	TBP04.03	52mm
4 Hole	BP04.04	TBP04.04	63mm
5 Hole	BP04.05	TBP04.05	74mm
6 Hole	BP04.06	TBP04.06	85mm
7 Hole	BP04.07	TBP04.07	96mm
8 Hole	BP04.08	TBP04.08	107mm



CAT. No. : BP05 / TBP05

Cloverleaf T-Plate 3.5mm (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP05.03	TBP05.03	88mm
4 Hole	BP05.04	TBP05.04	104mm
5 Hole	BP05.05	TBP05.05	120mm
6 Hole	BP05.06	TBP05.06	136mm
7 Hole	BP05.07	TBP05.07	152mm
8 Hole	BP05.08	TBP05.08	168mm






Bone Plate

CAT. No. : BP06 / TBP06

'Y' Plate 3.5mm (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
3 Hole	BP06.03	TBP06.03
4 Hole	BP06.04	TBP06.04
5 Hole	BP06.05	TBP06.05
6 Hole	BP06.06	TBP06.06
7 Hole	BP06.07	TBP06.07
8 Hole	BP06.08	TBP06.08



CAT. No. : BP09

Reconstruction Plate 3.5mm Straight
(Stainless Steel & Titanium)


Hole	Stainless Steel	Titanium	Length
5 Hole	BP09.05	BP09.05	58mm
6 Hole	BP09.06	BP09.06	70mm
7 Hole	BP09.07	BP09.07	82mm
8 Hole	BP09.08	BP09.08	94mm
9 Hole	BP09.09	BP09.09	106mm
10 Hole	BP09.10	BP09.10	118mm
12 Hole	BP09.12	BP09.12	142mm
14 Hole	BP09.14	BP09.14	166mm
16 Hole	BP09.16	BP09.16	190mm
18 Hole	BP09.18	BP09.18	214mm
20 Hole	BP09.20	BP09.20	238mm
22 Hole	BP09.22	BP09.22	262mm



CAT. No. : BP08

One-Third Tubular Plate 3.5mm
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP08.03	BP08.03	40mm
4 Hole	BP08.04	BP08.04	52mm
5 Hole	BP08.05	BP08.05	64mm
6 Hole	BP08.06	BP08.06	76mm
7 Hole	BP08.07	BP08.07	88mm
8 Hole	BP08.08	BP08.08	100mm
9 Hole	BP08.09	BP08.09	112mm
10 Hole	BP08.10	BP08.10	124mm



CAT. No. : BP07

Small Tubular Plate 3.5mm
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP07.03	TBP07.03	55mm
4 Hole	BP07.04	TBP07.04	71mm
5 Hole	BP07.05	TBP07.05	87mm
6 Hole	BP07.06	TBP07.06	103mm
7 Hole	BP07.07	TBP07.07	119mm
8 Hole	BP07.08	TBP07.08	135mm
9 Hole	BP07.09	TBP07.09	151mm
10 Hole	BP07.10	TBP07.10	167mm



Bone Plate



CAT. No. : BP:11 / TBP:11

Dynamic Compression Plate (DCP) Dia. 4.5mm Narrow
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
4 Hole	BP:11.04	TBP:11.04	71mm
5 Hole	BP:11.05	TBP:11.05	87mm
6 Hole	BP:11.06	TBP:11.06	103mm
7 Hole	BP:11.07	TBP:11.07	119mm
8 Hole	BP:11.08	TBP:11.08	135mm
9 Hole	BP:11.09	TBP:11.09	151mm
10 Hole	BP:11.10	TBP:11.10	167mm
11 Hole	BP:11.11	TBP:11.11	183mm
12 Hole	BP:11.12	TBP:11.12	199mm
13 Hole	BP:11.13	TBP:11.13	215mm
14 Hole	BP:11.14	TBP:11.14	231mm
15 Hole	BP:11.15	TBP:11.15	247mm
16 Hole	BP:11.16	TBP:11.16	263mm
18 Hole	BP:11.18	TBP:11.18	279mm



CAT. No. : BP:13 / TBP:13

Dynamic Compression Plate (DCP) Dia. 4.5mm Broad
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
6 Hole	BP:11.06	TBP:11.06	103mm
7 Hole	BP:11.07	TBP:11.07	119mm
8 Hole	BP:11.08	TBP:11.08	135mm
9 Hole	BP:11.09	TBP:11.09	151mm
10 Hole	BP:11.10	TBP:11.10	167mm
11 Hole	BP:11.11	TBP:11.11	183mm
12 Hole	BP:11.12	TBP:11.12	199mm
14 Hole	BP:11.14	TBP:11.14	231mm
16 Hole	BP:11.16	TBP:11.16	263mm
18 Hole	BP:11.18	TBP:11.18	295mm



CAT. No. : BP:12 / TBP:12

Limited Contact Dynamic Compression Plate (LC-DCP) Dia. 4.5mm Narrow
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
2 Hole	BP:12.02	TBP:12.02	34mm
3 Hole	BP:12.03	TBP:12.03	52mm
4 Hole	BP:12.04	TBP:12.04	70mm
5 Hole	BP:12.05	TBP:12.05	88mm
6 Hole	BP:12.06	TBP:12.06	106mm
7 Hole	BP:12.07	TBP:12.07	124mm
8 Hole	BP:12.08	TBP:12.08	142mm
9 Hole	BP:12.09	TBP:12.09	160mm
10 Hole	BP:12.10	TBP:12.10	178mm
11 Hole	BP:12.11	TBP:12.11	196mm
12 Hole	BP:12.12	TBP:12.12	214mm
14 Hole	BP:12.14	TBP:12.14	250mm
16 Hole	BP:12.16	TBP:12.16	286mm



CAT. No. : BP:14 / TBP:14

Limited Contact Dynamic Compression Plate (LC-DCP) Dia. 4.5mm Broad
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
6 Hole	BP:14.06	TBP:14.06	106mm
7 Hole	BP:14.07	TBP:14.07	124mm
8 Hole	BP:14.08	TBP:14.08	142mm
9 Hole	BP:14.09	TBP:14.09	160mm
10 Hole	BP:14.10	TBP:14.10	178mm
11 Hole	BP:14.11	TBP:14.11	196mm
12 Hole	BP:14.12	TBP:14.12	214mm
13 Hole	BP:14.13	TBP:14.13	232mm
14 Hole	BP:14.14	TBP:14.14	250mm
15 Hole	BP:14.15	TBP:14.15	268mm
16 Hole	BP:14.16	TBP:14.16	286mm
17 Hole	BP:14.17	TBP:14.17	304mm
18 Hole	BP:14.18	TBP:14.18	322mm





Bone Plate

CAT. No. : BP17 / TBP17

T Plate 4.5mm (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP17.03	TBP17.03	68mm
4 Hole	BP17.04	TBP17.04	84mm
5 Hole	BP17.05	TBP17.05	100mm
6 Hole	BP17.06	TBP17.06	116mm
7 Hole	BP17.07	TBP17.07	134mm
8 Hole	BP17.08	TBP17.08	148mm
9 Hole	BP17.09	TBP17.09	164mm
10 Hole	BP17.10	TBP17.10	180mm



CAT. No. : BP18 / TBP18

T Buttress Plate 4.5mm (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
4 Hole	BP18.04	TBP18.04	82mm
5 Hole	BP18.05	TBP18.05	98mm
6 Hole	BP18.06	TBP18.06	114mm
7 Hole	BP18.07	TBP18.07	130mm
8 Hole	BP18.08	TBP18.08	146mm
9 Hole	BP18.09	TBP18.09	162mm
10 Hole	BP18.10	TBP18.10	178mm



CAT. No. : BP20 / TBP20

L Buttress Plate 4.5mm for Right Leg
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP20.03	TBP20.03	69mm
4 Hole	BP20.04	TBP20.04	85mm
5 Hole	BP20.05	TBP20.05	101mm
6 Hole	BP20.06	TBP20.06	117mm
7 Hole	BP20.07	TBP20.07	136mm
8 Hole	BP20.08	TBP20.08	149mm
9 Hole	BP20.09	TBP20.09	165mm
10 Hole	BP20.10	TBP20.10	181mm



CAT. No. : BP19 / TBP19

L Buttress Plate 4.5mm for Left Leg
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium	Length
3 Hole	BP19.03	TBP19.03	69mm
4 Hole	BP19.04	TBP19.04	85mm
5 Hole	BP19.05	TBP19.05	101mm
6 Hole	BP19.06	TBP19.06	117mm
7 Hole	BP19.07	TBP19.07	136mm
8 Hole	BP19.08	TBP19.08	149mm
9 Hole	BP19.09	TBP19.09	165mm
10 Hole	BP19.10	TBP19.10	181mm



CAT. No. : BP15

Reconstruction Plate 4.5mm Straight

Hole	Stainless Steel
4 Hole	BP15.04
5 Hole	BP15.05
6 Hole	BP15.06
7 Hole	BP15.07
8 Hole	BP15.08
9 Hole	BP15.09
10 Hole	BP15.10
11 Hole	BP15.11
12 Hole	BP15.12
13 Hole	BP15.13
14 Hole	BP15.14



Hip System



CAT. No. : BP42
Dynamic Hip Plate 125°

Hole	Stainless Steel	Length
2 Hole	BP42.02	46mm
4 Hole	BP42.04	78mm
5 Hole	BP42.05	94mm
6 Hole	BP42.06	110mm
8 Hole	BP42.08	142mm
10 Hole	BP42.10	174mm

CAT. No. : BP43
Dynamic Hip Plate 130°

Hole	Stainless Steel	Length
2 Hole	BP43.02	46mm
4 Hole	BP43.04	78mm
5 Hole	BP43.05	94mm
6 Hole	BP43.06	110mm
8 Hole	BP43.08	142mm
10 Hole	BP43.10	174mm
12 Hole	BP43.12	206mm
14 Hole	BP43.14	238mm
16 Hole	BP43.16	270mm

CAT. No. : BP44
Dynamic Hip Plate 135°

Hole	Stainless Steel	Length
2 Hole	BP44.02	46mm
4 Hole	BP44.04	78mm
5 Hole	BP44.05	94mm
6 Hole	BP44.06	110mm
8 Hole	BP44.08	142mm
10 Hole	BP44.10	174mm
12 Hole	BP44.12	206mm
14 Hole	BP44.14	238mm
16 Hole	BP44.16	270mm

CAT. No. : BP45
Dynamic Hip Plate 140°

Hole	Stainless Steel	Length
2 Hole	BP45.02	46mm
4 Hole	BP45.04	78mm
5 Hole	BP45.05	94mm
6 Hole	BP45.06	110mm
8 Hole	BP45.08	142mm
10 Hole	BP45.10	174mm
12 Hole	BP45.12	206mm
14 Hole	BP45.14	238mm
16 Hole	BP45.16	270mm

CAT. No. : BP46
Dynamic Hip Plate 145°

Hole	Stainless Steel	Length
2 Hole	BP46.02	46mm
4 Hole	BP46.04	78mm
5 Hole	BP46.05	94mm
6 Hole	BP46.06	110mm
8 Hole	BP46.08	142mm
10 Hole	BP46.10	174mm
12 Hole	BP46.12	206mm
14 Hole	BP46.14	238mm
16 Hole	BP46.16	270mm

CAT. No. : BP47
Dynamic Hip Plate 150°

Hole	Stainless Steel	Length
2 Hole	BP50.02	46mm
4 Hole	BP50.04	78mm
5 Hole	BP50.05	94mm
6 Hole	BP50.06	110mm
8 Hole	BP50.08	142mm
10 Hole	BP50.10	174mm
12 Hole	BP50.12	206mm
14 Hole	BP50.14	238mm
16 Hole	BP50.16	270mm



CAT. No. : BP40
DCS Plate DCP Hole 95°

Hole	Stainless Steel	Length
4 Hole	BP40.04	81mm
5 Hole	BP40.05	97mm
6 Hole	BP40.06	113mm
8 Hole	BP40.08	145mm
10 Hole	BP40.10	177mm
12 Hole	BP40.12	209mm
14 Hole	BP40.14	241mm
16 Hole	BP40.16	273mm
18 Hole	BP40.18	305mm
20 Hole	BP40.20	337mm
22 Hole	BP40.22	369mm





CAT. No. : BS.21
DHS / DCS Screw 12.5mm

Length	Stainless Steel
50mm	BS.21.50
55mm	BS.21.55
60mm	BS.21.60
65mm	BS.21.65
70mm	BS.21.70
75mm	BS.21.75
80mm	BS.21.80
85mm	BS.21.85
90mm	BS.21.90
95mm	BS.21.95
100mm	BS.21.100
105mm	BS.21.105
110mm	BS.21.110



CAT. No. : CS.29
DHS / DCS Compression Screw

Length	Stainless Steel
36mm	CS.29.36





Hip System

CAT. No. : HS.04

Bipolar Prosthesis Non-Fenestrated (Sterile)

Length	Stainless Steel	Head Ø
155mm	HS.04.37	37.0mm
155mm	HS.04.39	39.0mm
155mm	HS.04.41	41.0mm
155mm	HS.04.43	43.0mm
155mm	HS.04.45	45.0mm
155mm	HS.04.47	47.0mm
155mm	HS.04.49	49.0mm
155mm	HS.04.51	51.0mm
155mm	HS.04.53	53.0mm
155mm	HS.04.55	55.0mm



CAT. No. : HS.01

Austin Moore Endo-Prosthesis (Sterile)

Length	Stainless Steel	Head Ø
140mm	HS.01.37	37.0mm
140mm	HS.01.39	39.0mm
140mm	HS.01.41	41.0mm
140mm	HS.01.43	43.0mm
140mm	HS.01.45	45.0mm
140mm	HS.01.47	47.0mm
140mm	HS.01.49	49.0mm
140mm	HS.01.51	51.0mm
140mm	HS.01.53	53.0mm
140mm	HS.01.55	55.0mm




Intramedullary Nail System




CAT. No. : NS.82 / NS.83 / NS.84
Rush Nails for Radius and ULNA

Dia. 2mm		Dia. 2.5mm		Dia. 3mm	
Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel
24cm	NS.82.24	24cm	NS.83.24	24cm	NS.84.24
25cm	NS.82.25	25cm	NS.83.25	25cm	NS.84.25
26cm	NS.82.26	26cm	NS.83.26	26cm	NS.84.26
27cm	NS.82.27	27cm	NS.83.27	27cm	NS.84.27
28cm	NS.82.28	28cm	NS.83.28	28cm	NS.84.28
29cm	NS.82.29	29cm	NS.83.29	29cm	NS.84.29
30cm	NS.82.30	30cm	NS.83.30	30cm	NS.84.30
31cm	NS.82.31	31cm	NS.83.31	31cm	NS.84.31
32cm	NS.82.32	32cm	NS.83.32	32cm	NS.84.32
33cm	NS.82.33	33cm	NS.83.33	33cm	NS.84.33
34cm	NS.82.34	34cm	NS.83.34	34cm	NS.84.34
35cm	NS.82.35	35cm	NS.83.35	35cm	NS.84.35
36cm	NS.82.36	36cm	NS.83.36	36cm	NS.84.36




CAT. No. : NS.75 / NS.76 / NS.77 / NS.78
Square Nails for Radius

Dia. 2mm		Dia. 2.5mm		Dia. 3mm		Dia. 3.5mm	
Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel
17cm	NS.75.17	17cm	NS.76.17	17cm	NS.77.17	17cm	NS.78.17
18cm	NS.75.18	18cm	NS.76.18	18cm	NS.77.18	18cm	NS.78.18
19cm	NS.75.19	19cm	NS.76.19	19cm	NS.77.19	19cm	NS.78.19
20cm	NS.75.20	20cm	NS.76.20	20cm	NS.77.20	20cm	NS.78.20
21cm	NS.75.21	21cm	NS.76.21	21cm	NS.77.21	21cm	NS.78.21
22cm	NS.75.22	22cm	NS.76.22	22cm	NS.77.22	22cm	NS.78.22
23cm	NS.75.23	23cm	NS.76.23	23cm	NS.77.23	23cm	NS.78.23
24cm	NS.75.24	24cm	NS.76.24	24cm	NS.77.24	24cm	NS.78.24
25cm	NS.75.25	25cm	NS.76.25	25cm	NS.77.25	25cm	NS.78.25
26cm	NS.75.26	26cm	NS.76.26	26cm	NS.77.26	26cm	NS.78.26
27cm	NS.75.27	27cm	NS.76.27	27cm	NS.77.27	27cm	NS.78.27
28cm	NS.75.28	28cm	NS.76.28	28cm	NS.77.28	28cm	NS.78.28
29cm	NS.75.29	29cm	NS.76.29	29cm	NS.77.29	29cm	NS.78.29
30cm	NS.75.30	30cm	NS.76.30	30cm	NS.77.30	30cm	NS.78.30



CAT. No. : NS.69 / NS.70 / NS.71 / NS.72
Square Nails for ULNA

Dia. 2mm		Dia. 2.5mm		Dia. 3mm		Dia. 3.5mm	
Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel	Length	Stainless Steel
17cm	NS.69.17	17cm	NS.70.17	17cm	NS.71.17	17cm	NS.72.17
18cm	NS.69.18	18cm	NS.70.18	18cm	NS.71.18	18cm	NS.72.18
19cm	NS.69.19	19cm	NS.70.19	19cm	NS.71.19	19cm	NS.72.19
20cm	NS.69.20	20cm	NS.70.20	20cm	NS.71.20	20cm	NS.72.20
21cm	NS.69.21	21cm	NS.70.21	21cm	NS.71.21	21cm	NS.72.21
22cm	NS.69.22	22cm	NS.70.22	22cm	NS.71.22	22cm	NS.72.22
23cm	NS.69.23	23cm	NS.70.23	23cm	NS.71.23	23cm	NS.72.23
24cm	NS.69.24	24cm	NS.70.24	24cm	NS.71.24	24cm	NS.72.24
25cm	NS.69.25	25cm	NS.70.25	25cm	NS.71.25	25cm	NS.72.25
26cm	NS.69.26	26cm	NS.70.26	26cm	NS.71.26	26cm	NS.72.26
27cm	NS.69.27	27cm	NS.70.27	27cm	NS.71.27	27cm	NS.72.27
28cm	NS.69.28	28cm	NS.70.28	28cm	NS.71.28	28cm	NS.72.28
29cm	NS.69.29	29cm	NS.70.29	29cm	NS.71.29	29cm	NS.72.29
30cm	NS.69.30	30cm	NS.70.30	30cm	NS.71.30	30cm	NS.72.30





Wire & Pin

CAT. No. : WP21 / WP23 / WP25 / WP26 / WP27

Kirschner Wire

Dia. 1mm

Length	Stainless Steel
100cm	WP21.100
150cm	WP21.150
225cm	WP21.225
300cm	WP21.300

Dia. 1.5mm

Length	Stainless Steel
100cm	WP23.100
150cm	WP23.150
225cm	WP23.225
300cm	WP23.300

Dia. 2mm

Length	Stainless Steel
100cm	WP25.100
150cm	WP25.150
225cm	WP25.225
300cm	WP25.300



Dia. 2.5mm

Length	Stainless Steel
100cm	WP26.100
150cm	WP26.150
225cm	WP26.225
300cm	WP26.300

Dia. 3mm

Length	Stainless Steel
100cm	WP27.100
150cm	WP27.150
225cm	WP27.225
300cm	WP27.300



CAT. No. : WP29 / WP30 / WP31 / WP32 / WP33

Kirschner Wire Threaded

Dia. 1mm


Length	Stainless Steel
100cm	WP29.100
150cm	WP29.150
225cm	WP29.225
300cm	WP29.300

Dia. 1.5mm

Length	Stainless Steel
100cm	WP30.100
150cm	WP30.150
225cm	WP30.225
300cm	WP30.300

Dia. 2mm

Length	Stainless Steel
100cm	WP31.100
150cm	WP31.150
225cm	WP31.231
300cm	WP31.300



Dia. 2.5mm

Length	Stainless Steel
100cm	WP32.100
150cm	WP32.150
225cm	WP32.225
300cm	WP32.300

Dia. 3mm

Length	Stainless Steel
100cm	WP33.100
150cm	WP33.150
225cm	WP33.225
300cm	WP33.300



CAT. No. : WP17 / WP18 / WP19 / WP20

Steinmann Pin

Dia. 3mm

Length	Stainless Steel
125cm	WP17.125
150cm	WP17.150

Dia. 4.0mm

Length	Stainless Steel
150cm	WP18.150
175cm	WP18.175
200cm	WP18.200

Dia. 4.5mm

Length	Stainless Steel
125cm	WP19.125
150cm	WP19.150
175cm	WP19.175
200cm	WP19.200
225cm	WP19.225
250cm	WP19.250

Dia. 5mm

Length	Stainless Steel
150cm	WP20.150
175cm	WP20.175
200cm	WP20.200
225cm	WP20.225
250cm	WP20.250
275cm	WP20.275
300cm	WP20.300



CAT. No. : WP34

S. S. Wire Reel


Length	Stainless Steel	SWG
110mm	HS.05.37	16
110mm	HS.05.39	18
110mm	HS.05.41	20
110mm	HS.05.43	22
110mm	HS.05.45	24
110mm	HS.05.47	26
110mm	HS.05.49	28
110mm	HS.05.51	30
110mm	HS.05.53	32
110mm	HS.05.55	34




External Fixator



CAT. No. : EF.01.01
Single Adjustable Clamp



CAT. No. : EF.04.01
Transverse T - Clamp
Dia. 11mm for Femur & Tibia



CAT. No. : EF.03.01
Tube to Tube Clamp
Dia. 11mm for Femur & Tibia



CAT. No. : WP.01 / WP.02 / WP.03 / WP.04 / WP.05 / WP.06
WP.08 / WP.10
Self Tapping Schanz Screw

Dia. 1.5mm

Length	Stainless Steel
100mm	WP.01.04

Dia. 2.0mm

Length	Stainless Steel
100mm	WP.02.04
125mm	WP.02.05
150mm	WP.02.06

Dia. 2.5mm

Length	Stainless Steel
100mm	WP.03.04
125mm	WP.03.05
150mm	WP.03.06
200mm	WP.03.08

Dia. 3.0mm

Length	Stainless Steel
100mm	WP.04.04
125mm	WP.04.05
150mm	WP.04.06

Dia. 3.5mm

Length	Stainless Steel
100mm	WP.05.04
125mm	WP.05.05
150mm	WP.05.06
175mm	WP.05.07
200mm	WP.05.08

Dia. 4.0mm

Length	Stainless Steel
100mm	WP.06.04
125mm	WP.06.05
150mm	WP.06.06
175mm	WP.06.07
200mm	WP.06.08

Dia. 4.5mm

Length	Stainless Steel
150mm	WP.08.06
175mm	WP.08.07
200mm	WP.08.08
225mm	WP.08.09

Dia. 5.0mm

Length	Stainless Steel
150mm	WP.10.06
175mm	WP.10.07
200mm	WP.10.08
225mm	WP.10.09



CAT. No. : WP.16 / WP.17 / WP.18 / WP.19
Schanz Screw

Dia. 3.0mm

Length	Stainless Steel
125mm	WP.16.05
150mm	WP.16.06
175mm	WP.16.07
200mm	WP.16.08
225mm	WP.16.09
250mm	WP.16.10
275mm	WP.16.11
300mm	WP.16.12

Dia. 3.5mm

Length	Stainless Steel
125mm	WP.17.05
150mm	WP.17.06
175mm	WP.17.07
200mm	WP.17.08
225mm	WP.17.09
250mm	WP.17.10
275mm	WP.17.11
300mm	WP.17.12

Dia. 4.0mm

Length	Stainless Steel
125mm	WP.18.05
150mm	WP.18.06
175mm	WP.18.07
200mm	WP.18.08
225mm	WP.18.09
250mm	WP.18.10
275mm	WP.18.11
300mm	WP.18.12

Dia. 4.5mm

Length	Stainless Steel
125mm	WP.19.05
150mm	WP.19.06
175mm	WP.19.07
200mm	WP.19.08
225mm	WP.19.09
250mm	WP.19.10
275mm	WP.19.11
300mm	WP.19.12





Nailing System

CAT. No. :NS.08 / NS.09 / NS.10 / NS.11
CAT. No. :TNS.08 / TNS.09 / TNS.10 / TNS.11
Universal Tibia Interlocking Nail

Ø 8mm

Length	Stainless Steel	Titanium
260mm	NS.08.260	TNS.08.260
280mm	NS.08.280	TNS.08.280
300mm	NS.08.300	TNS.08.300
320mm	NS.08.320	TNS.08.320
340mm	NS.08.340	TNS.08.340
360mm	NS.08.360	TNS.08.360
380mm	NS.08.380	TNS.08.380

Ø 9mm

Length	Stainless Steel	Titanium
260mm	NS.09.260	TNS.09.260
280mm	NS.09.280	TNS.09.280
300mm	NS.09.300	TNS.09.300
320mm	NS.09.320	TNS.09.320
340mm	NS.09.340	TNS.09.340
360mm	NS.09.360	TNS.09.360
380mm	NS.09.380	TNS.09.380

Ø 10mm

Length	Stainless Steel	Titanium
260mm	NS.10.260	TNS.10.260
280mm	NS.10.280	TNS.10.280
300mm	NS.10.300	TNS.10.300
320mm	NS.10.320	TNS.10.320
340mm	NS.10.340	TNS.10.340
360mm	NS.10.360	TNS.10.360
380mm	NS.10.380	TNS.10.380

Ø 11mm

Length	Stainless Steel	Titanium
260mm	NS.11.260	TNS.11.260
280mm	NS.11.280	TNS.11.280
300mm	NS.11.300	TNS.11.300
320mm	NS.11.320	TNS.11.320
340mm	NS.11.340	TNS.11.340
360mm	NS.11.360	TNS.11.360
380mm	NS.11.380	TNS.11.380



CAT. No. :NS.08 / NS.09 / NS.10 / NS.11
CAT. No. :TNS.08 / TNS.09 / TNS.10 / TNS.11
Universal Femur Interlocking Nail

Ø 9mm

Length	Stainless Steel	Titanium
340mm	NS.10.340	NS.10.340
360mm	NS.10.360	NS.10.360
380mm	NS.10.380	NS.10.380
400mm	NS.10.400	NS.10.400
420mm	NS.10.420	NS.10.420
440mm	NS.10.440	NS.10.440

Ø 10mm




Length	Stainless Steel	Titanium
340mm	NS.11.340	TNS.11.340
360mm	NS.11.360	TNS.11.360
380mm	NS.11.380	TNS.11.380
400mm	NS.11.400	TNS.11.400
420mm	NS.11.420	TNS.11.420
440mm	NS.11.440	TNS.11.440

Ø 11mm

Length	Stainless Steel	Titanium
340mm	NS.12.340	TNS.12.340
360mm	NS.12.360	TNS.12.360
380mm	NS.12.380	TNS.12.380
400mm	NS.12.400	TNS.12.400
420mm	NS.12.420	TNS.12.420
440mm	NS.12.440	TNS.12.440

Ø 12mm

Length	Stainless Steel	Titanium
340mm	NS.13.340	TNS.13.340
360mm	NS.13.360	TNS.13.360
380mm	NS.13.380	TNS.13.380
400mm	NS.13.400	TNS.13.400
420mm	NS.13.420	TNS.13.420
440mm	NS.13.440	TNS.13.440



Nailing System



CAT. No. :NS.19 (130°)/ NS.20 (135°)
CAT. No. :TNS.19 (130°)/ TNS.20 (135°)
Proximal Femur Nail (Short)

Ø 9mm (130°)

Length	Stainless Steel	Titanium
250mm	NS.19.09.250	TNS.19.09.250

Ø 9mm (135°)

Length	Stainless Steel	Titanium
250mm	NS.20.09.250	TNS.20.09.250

Ø 10mm (130°)

Length	Stainless Steel	Titanium
250mm	NS.19.10.250	TNS.19.10.250

Ø 10mm (135°)

Length	Stainless Steel	Titanium
250mm	NS.20.10.250	TNS.20.10.250

Ø 11mm (130°)

Length	Stainless Steel	Titanium
250mm	NS.19.11.250	TNS.19.11.250

Ø 11mm (135°)

Length	Stainless Steel	Titanium
250mm	NS.20.11.250	TNS.20.11.250

Ø 12mm (130°)

Length	Stainless Steel	Titanium
250mm	NS.19.12.250	TNS.19.12.250

Ø 12mm (135°)

Length	Stainless Steel	Titanium
250mm	NS.20.12.250	TNS.20.12.250

Long

Ø 9mm (Left)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.23.340	NS.31.340	TNS.23.340	TNS.31.340
360mm	NS.23.360	NS.31.360	TNS.23.360	TNS.31.360
380mm	NS.23.380	NS.31.380	TNS.23.380	TNS.31.380
400mm	NS.23.400	NS.31.400	TNS.23.400	TNS.31.400
420mm	NS.23.420	NS.31.420	TNS.23.420	TNS.31.420
440mm	NS.23.440	NS.31.440	TNS.23.440	TNS.31.440

Ø 9mm (Right)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.27.340	NS.35.340	TNS.27.340	TNS.35.340
360mm	NS.27.360	NS.35.360	TNS.27.360	TNS.35.360
380mm	NS.27.380	NS.35.380	TNS.27.380	TNS.35.380
400mm	NS.27.400	NS.35.400	TNS.27.400	TNS.35.400
420mm	NS.27.420	NS.35.420	TNS.27.420	TNS.35.420
440mm	NS.27.440	NS.35.440	TNS.27.440	TNS.35.440

Ø 10mm (Left)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.24.340	NS.32.340	TNS.24.340	TNS.32.340
360mm	NS.24.360	NS.32.360	TNS.24.360	TNS.32.360
380mm	NS.24.380	NS.32.380	TNS.24.380	TNS.32.380
400mm	NS.24.400	NS.32.400	TNS.24.400	TNS.32.400
420mm	NS.24.420	NS.32.420	TNS.24.420	TNS.32.420
440mm	NS.24.440	NS.32.440	TNS.24.440	TNS.32.440

Ø 10mm (Right)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.28.340	NS.36.340	TNS.28.340	TNS.36.340
360mm	NS.28.360	NS.36.360	TNS.28.360	TNS.36.360
380mm	NS.28.380	NS.36.380	TNS.28.380	TNS.36.380
400mm	NS.28.400	NS.36.400	TNS.28.400	TNS.36.400
420mm	NS.28.420	NS.36.420	TNS.28.420	TNS.36.420
440mm	NS.28.440	NS.36.440	TNS.28.440	TNS.36.440

Ø 11mm (Left)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.25.340	NS.33.340	TNS.25.340	TNS.33.340
360mm	NS.25.360	NS.33.360	TNS.25.360	TNS.33.360
380mm	NS.25.380	NS.33.380	TNS.25.380	TNS.33.380
400mm	NS.25.400	NS.33.400	TNS.25.400	TNS.33.400
420mm	NS.25.420	NS.33.420	TNS.25.420	TNS.33.420
440mm	NS.25.440	NS.33.440	TNS.25.440	TNS.33.440

Ø 11mm (Right)



Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.29.340	NS.37.340	TNS.29.340	TNS.37.340
360mm	NS.29.360	NS.37.360	TNS.29.360	TNS.37.360
380mm	NS.29.380	NS.37.380	TNS.29.380	TNS.37.380
400mm	NS.29.400	NS.37.400	TNS.29.400	TNS.37.400
420mm	NS.29.420	NS.37.420	TNS.29.420	TNS.37.420
440mm	NS.29.440	NS.37.440	TNS.29.440	TNS.37.440

Ø 12mm (Left)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.26.340	NS.34.340	TNS.26.340	TNS.34.340
360mm	NS.26.360	NS.34.360	TNS.26.360	TNS.34.360
380mm	NS.26.380	NS.34.380	TNS.26.380	TNS.34.380
400mm	NS.26.400	NS.34.400	TNS.26.400	TNS.34.400
420mm	NS.26.420	NS.34.420	TNS.26.420	TNS.34.420
440mm	NS.26.440	NS.34.440	TNS.26.440	TNS.34.440

Ø 12mm (Right)

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
340mm	NS.30.340	NS.38.340	TNS.30.340	TNS.38.340
360mm	NS.30.360	NS.38.360	TNS.30.360	TNS.38.360
380mm	NS.30.380	NS.38.380	TNS.30.380	TNS.38.380
400mm	NS.30.400	NS.38.400	TNS.30.400	TNS.38.400
420mm	NS.30.420	NS.38.420	TNS.30.420	TNS.38.420
440mm	NS.30.440	NS.38.440	TNS.30.440	TNS.38.440





Nailing System

CAT. No. :NS.21 (130°) / NS.22 (135°)
CAT. No. :TNS.21 (130°) / TNS.22 (135°)
Trochanteric Fixation Nail

Ø 9mm

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
180mm	NS.21.9.180	NS.22.9.180	TNS.21.9.180	TNS.22.9.180

Ø 11mm

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
180mm	NS.21.11.180	NS.22.11.180	TNS.21.11.180	TNS.22.11.180

Ø 10mm

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
180mm	NS.21.10.180	NS.22.10.180	TNS.21.10.180	TNS.22.10.180

Ø 12mm

Length	Stainless Steel		Titanium	
	130°	135°	130°	135°
180mm	NS.21.12.180	NS.22.12.180	TNS.21.12.180	TNS.22.12.180



CAT. No. :NS.39 / NS.40
CAT. No. :TNS.39 / TNS.40
Interlocking Humerus Nail

Ø 6.5mm

Length	Stainless Steel	Titanium
205mm	NS.39.205	TNS.39.205
220mm	NS.39.220	TNS.39.220
230mm	NS.39.230	TNS.39.230
240mm	NS.39.240	TNS.39.240
250mm	NS.39.250	TNS.39.250
260mm	NS.39.260	TNS.39.260
270mm	NS.39.270	TNS.39.270
280mm	NS.39.280	TNS.39.280
290mm	NS.39.290	TNS.39.290
300mm	NS.39.300	TNS.39.300
310mm	NS.39.310	TNS.39.310

Ø 7.5mm

Length	Stainless Steel	Titanium
205mm	NS.40.205	TNS.40.205
220mm	NS.40.220	TNS.40.220
230mm	NS.40.230	TNS.40.230
240mm	NS.40.240	TNS.40.240
250mm	NS.40.250	TNS.40.250
260mm	NS.40.260	TNS.40.260
270mm	NS.40.270	TNS.40.270
280mm	NS.40.280	TNS.40.280
290mm	NS.40.290	TNS.40.290
300mm	NS.40.300	TNS.40.300
310mm	NS.40.310	TNS.40.310



Nailing System



CAT. No. : NS.50 / NS.51 / NS.52 / NS.53
 CAT. No. : TNS.50 / TNS.51 / TNS.52 / TNS.53
Syrus Femur Interlocking Nail (Left & Right)

Ø 9mm

Length	Stainless Steel		Titanium	
	Left	Right	Left	Right
340mm	NS.50L.340	NS.50R.340	TNS.50L.340	TNS.50R.340
360mm	NS.50L.360	NS.50R.360	TNS.50L.360	TNS.50R.360
380mm	NS.50L.380	NS.50R.380	TNS.50L.380	TNS.50R.380
400mm	NS.50L.400	NS.50R.400	TNS.50L.400	TNS.50R.400
420mm	NS.50L.420	NS.50R.420	TNS.50L.420	TNS.50R.420
440mm	NS.50L.440	NS.50R.440	TNS.50L.440	TNS.50R.440

Ø 10mm

Length	Stainless Steel		Titanium	
	Left	Right	Left	Right
340mm	NS.51L.340	NS.51R.340	TNS.51L.340	TNS.51R.340
360mm	NS.51L.360	NS.51R.360	TNS.51L.360	TNS.51R.360
380mm	NS.51L.380	NS.51R.380	TNS.51L.380	TNS.51R.380
400mm	NS.51L.400	NS.51R.400	TNS.51L.400	TNS.51R.400
420mm	NS.51L.420	NS.51R.420	TNS.51L.420	TNS.51R.420
440mm	NS.51L.440	NS.51R.440	TNS.51L.440	TNS.51R.440

Ø 11mm




Length	Stainless Steel		Titanium	
	Left	Right	Left	Right
340mm	NS.52L.340	NS.52R.340	TNS.52L.340	TNS.52R.340
360mm	NS.52L.360	NS.52R.360	TNS.52L.360	TNS.52R.360
380mm	NS.52L.380	NS.52R.380	TNS.52L.380	TNS.52R.380
400mm	NS.52L.400	NS.52R.400	TNS.52L.400	TNS.52R.400
420mm	NS.52L.420	NS.52R.420	TNS.52L.420	TNS.52R.420
440mm	NS.52L.440	NS.52R.440	TNS.52L.440	TNS.52R.440

Ø 12mm

Length	Stainless Steel		Titanium	
	Left	Right	Left	Right
340mm	NS.53L.340	NS.53R.340	TNS.53L.340	TNS.53R.340
360mm	NS.53L.360	NS.53R.360	TNS.53L.360	TNS.53R.360
380mm	NS.53L.380	NS.53R.380	TNS.53L.380	TNS.53R.380
400mm	NS.53L.400	NS.53R.400	TNS.53L.400	TNS.53R.400
420mm	NS.53L.420	NS.53R.420	TNS.53L.420	TNS.53R.420
440mm	NS.53L.440	NS.53R.440	TNS.53L.440	TNS.53R.440

CAT. No. : NS.89
Elastic Nail (Length : 440mm)
 Dia. 2, 2.5, 3.0, 3.5, 4.0, 4.5mm

Length	Titanium
440mm	NS.89.440





Nailing System

CAT. No. :NS.160 / NS.161 / NS.162 / NS.163
CAT. No. :TNS.160 / TNS.161 / TNS.162 / TNS.163
Supracondylar Nail

Ø 9mm

Length	Stainless Steel	Titanium
150mm	NS.160.150	TNS.160.150
200mm	NS.160.200	TNS.160.200
250mm	NS.160.250	TNS.160.250
300mm	NS.160.300	TNS.160.300
350mm	NS.160.350	TNS.160.350

Ø 10mm

Length	Stainless Steel	Titanium
150mm	NS.161.150	TNS.161.150
200mm	NS.161.200	TNS.161.200
250mm	NS.161.250	TNS.161.250
300mm	NS.161.300	TNS.161.300
350mm	NS.161.350	TNS.161.350

Ø 11mm

Length	Stainless Steel	Titanium
150mm	NS.162.150	TNS.162.150
200mm	NS.162.200	TNS.162.200
250mm	NS.162.250	TNS.162.250
300mm	NS.162.300	TNS.162.300
350mm	NS.162.350	TNS.162.350

Ø 12mm


Length	Stainless Steel	Titanium
150mm	NS.163.150	TNS.163.150
200mm	NS.163.200	TNS.163.200
250mm	NS.163.250	TNS.163.250
300mm	NS.163.300	TNS.163.300
350mm	NS.163.350	TNS.163.350



Nailing System



CAT. No. : NS.64 / NS.65 / NS.66 / NS.67
CAT. No. : TNS.64 / TNS.65 / TNS.66 / TNS.67
Ender's Nail



Ø 3.0mm

Length	Stainless Steel	Titanium
200mm	NS.64.200	TNS.64.200
210mm	NS.64.210	TNS.64.210
220mm	NS.64.220	TNS.64.220
230mm	NS.64.230	TNS.64.230
240mm	NS.64.240	TNS.64.240
250mm	NS.64.250	TNS.64.250
260mm	NS.64.260	TNS.64.260
270mm	NS.64.270	TNS.64.270
280mm	NS.64.280	TNS.64.280
290mm	NS.64.290	TNS.64.290
300mm	NS.64.300	TNS.64.300

Ø 3.5mm

Length	Stainless Steel	Titanium
200mm	NS.65.200	TNS.65.200
210mm	NS.65.210	TNS.65.210
220mm	NS.65.220	TNS.65.220
230mm	NS.65.230	TNS.65.230
240mm	NS.65.240	TNS.65.240
250mm	NS.65.250	TNS.65.250
260mm	NS.65.260	TNS.65.260
270mm	NS.65.270	TNS.65.270
280mm	NS.65.280	TNS.65.280
290mm	NS.65.290	TNS.65.290
300mm	NS.65.300	TNS.65.300

Ø 4.0mm

Length	Stainless Steel	Titanium
300mm	NS.66.300	TNS.66.300
310mm	NS.66.310	TNS.66.310
320mm	NS.66.320	TNS.66.320
330mm	NS.66.330	TNS.66.330
340mm	NS.66.340	TNS.66.340
350mm	NS.66.350	TNS.66.350
360mm	NS.66.360	TNS.66.360
370mm	NS.66.370	TNS.66.370
380mm	NS.66.380	TNS.66.380
390mm	NS.66.390	TNS.66.390
400mm	NS.66.400	TNS.66.400
410mm	NS.66.410	TNS.66.410
420mm	NS.66.420	TNS.66.420
430mm	NS.66.430	TNS.66.430
440mm	NS.66.440	TNS.66.440

Ø 4.5mm

Length	Stainless Steel	Titanium
300mm	NS.67.300	TNS.67.300
310mm	NS.67.310	TNS.67.310
320mm	NS.67.320	TNS.67.320
330mm	NS.67.330	TNS.67.330
340mm	NS.67.340	TNS.67.340
350mm	NS.67.350	TNS.67.350
360mm	NS.67.360	TNS.67.360
370mm	NS.67.370	TNS.67.370
380mm	NS.67.380	TNS.67.380
390mm	NS.67.390	TNS.67.390
400mm	NS.67.400	TNS.67.400
410mm	NS.67.410	TNS.67.410
420mm	NS.67.420	TNS.67.420
430mm	NS.67.430	TNS.67.430
440mm	NS.67.440	TNS.67.440

Screw for Nailing System

CAT. No. : BS.26 / TBS.26
Interlocking Screws 3.9mm (Stainless Steel & Titanium)(Self Taping)

Length	Stainless Steel	Titanium
20mm	BS.26.20	TBS.26.20
22mm	BS.26.22	TBS.26.22
24mm	BS.26.24	TBS.26.24
26mm	BS.26.26	TBS.26.26
28mm	BS.26.28	TBS.26.28
30mm	BS.26.30	TBS.26.30
32mm	BS.26.32	TBS.26.32
34mm	BS.26.34	TBS.26.34
36mm	BS.26.36	TBS.26.36
38mm	BS.26.38	TBS.26.38
40mm	BS.26.40	TBS.26.40
42mm	BS.26.42	TBS.26.42
44mm	BS.26.44	TBS.26.44
46mm	BS.26.46	TBS.26.46
48mm	BS.26.48	TBS.26.48
50mm	BS.26.50	TBS.26.50





Screw for Nailing System

CAT. No. : BS.27 / TBS.27

Interlocking Screws 4.9mm (Stainless Steel & Titanium)(Self Taping)

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
20mm	BS.27.20	TBS.27.20	46mm	BS.27.46	TBS.27.46
22mm	BS.27.22	TBS.27.22	48mm	BS.27.48	TBS.27.48
24mm	BS.27.24	TBS.27.24	50mm	BS.27.50	TBS.27.50
26mm	BS.27.26	TBS.27.26	52mm	BS.27.52	TBS.27.52
28mm	BS.27.28	TBS.27.28	54mm	BS.27.54	TBS.27.54
30mm	BS.27.30	TBS.27.30	56mm	BS.27.56	TBS.27.56
32mm	BS.27.32	TBS.27.32	58mm	BS.27.58	TBS.27.58
34mm	BS.27.34	TBS.27.34	60mm	BS.27.60	TBS.27.60
36mm	BS.27.36	TBS.27.36	62mm	BS.27.62	TBS.27.62
38mm	BS.27.38	TBS.27.38	64mm	BS.27.64	TBS.27.64
40mm	BS.27.40	TBS.27.40	66mm	BS.27.66	TBS.27.66
42mm	BS.27.42	TBS.27.42	68mm	BS.27.68	TBS.27.68
44mm	BS.27.44	TBS.27.44	70mm	BS.27.70	TBS.27.70



CAT. No. : BS.25 / TBS.25

Interlocking Screws 3.4mm (Stainless Steel & Titanium)(Self Taping)

Length	Stainless Steel	Titanium
20mm	BS.25.20	TBS.25.20
22mm	BS.25.22	TBS.25.22
24mm	BS.25.24	TBS.25.24
26mm	BS.25.26	TBS.25.26
28mm	BS.25.28	TBS.25.28
30mm	BS.25.30	TBS.25.30
32mm	BS.25.32	TBS.25.32
34mm	BS.25.34	TBS.25.34
36mm	BS.25.36	TBS.25.36
38mm	BS.25.38	TBS.25.38
40mm	BS.25.40	TBS.25.40
42mm	BS.25.42	TBS.25.42
44mm	BS.25.44	TBS.25.44
46mm	BS.25.46	TBS.25.46
48mm	BS.25.48	TBS.25.48
50mm	BS.25.50	TBS.25.50



CAT. No. : NS.192 / TNS.192

End Cap for Interlocking Nail (Stainless Steel & Titanium)(Self Taping)

Length	Stainless Steel	Titanium
2mm	NS.192.02	TNS.192.02
5mm	NS.192.05	TNS.192.05
10mm	NS.192.10	TNS.192.10
15mm	NS.192.15	TNS.192.15



CAT. No. : BS.29 / TBS.29

P.F.N. Leg Screws 8.0mm (Stainless Steel & Titanium)

Length	Stainless Steel	Titanium
50mm	BS.29.50	TBS.29.50
55mm	BS.29.55	TBS.29.55
60mm	BS.29.60	TBS.29.60
65mm	BS.29.65	TBS.29.65
70mm	BS.29.70	TBS.29.70
75mm	BS.29.75	TBS.29.75
80mm	BS.29.80	TBS.29.80
85mm	BS.29.85	TBS.29.85
90mm	BS.29.90	TBS.29.90
95mm	BS.29.95	TBS.29.95
100mm	BS.29.100	TBS.29.100
105mm	BS.29.105	TBS.29.105
110mm	BS.29.110	TBS.29.110



CAT. No. : BS.28 / TBS.28

P.F.N. Leg Screws 6.4mm (Stainless Steel & Titanium)

Length	Stainless Steel	Titanium
50mm	BS.28.50	TBS.28.50
55mm	BS.28.55	TBS.28.55
60mm	BS.28.60	TBS.28.60
65mm	BS.28.65	TBS.28.65
70mm	BS.28.70	TBS.28.70
75mm	BS.28.75	TBS.28.75
80mm	BS.28.80	TBS.28.80
85mm	BS.28.85	TBS.28.85
90mm	BS.28.90	TBS.28.90
95mm	BS.28.95	TBS.28.95
100mm	BS.28.100	TBS.28.100
105mm	BS.28.105	TBS.28.105
110mm	BS.28.110	TBS.28.110



Locking Plate System



CAT. No. : LP02 / TLP02

2.7mm Locking Head Screws (Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
10mm	LP02.10	TLP02.10	36mm	LP02.36	TLP02.36
12mm	LP02.12	TLP02.12	38mm	LP02.38	TLP02.38
14mm	LP02.14	TLP02.14	40mm	LP02.40	TLP02.40
16mm	LP02.16	TLP02.16	42mm	LP02.42	TLP02.42
18mm	LP02.18	TLP02.18	44mm	LP02.44	TLP02.44
20mm	LP02.20	TLP02.20	46mm	LP02.46	TLP02.46
22mm	LP02.22	TLP02.22	48mm	LP02.48	TLP02.48
24mm	LP02.24	TLP02.24	50mm	LP02.50	TLP02.50
26mm	LP02.26	TLP02.26	52mm	LP02.52	TLP02.52
28mm	LP02.28	TLP02.28	54mm	LP02.54	TLP02.54
30mm	LP02.30	TLP02.30	56mm	LP02.56	TLP02.56
32mm	LP02.32	TLP02.32	58mm	LP02.58	TLP02.58
34mm	LP02.34	TLP02.34	60mm	LP02.60	TLP02.60



CAT. No. : LP03 / TLP03

Cortex Screw Dia. 3.5mm with Locking Head Screws (Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
10mm	LP03.10	TLP03.10	36mm	LP03.36	TLP03.36
12mm	LP03.12	TLP03.12	38mm	LP03.38	TLP03.38
14mm	LP03.14	TLP03.14	40mm	LP03.40	TLP03.40
16mm	LP03.16	TLP03.16	42mm	LP03.42	TLP03.42
18mm	LP03.18	TLP03.18	44mm	LP03.44	TLP03.44
20mm	LP03.20	TLP03.20	46mm	LP03.46	TLP03.46
22mm	LP03.22	TLP03.22	48mm	LP03.48	TLP03.48
24mm	LP03.24	TLP03.24	50mm	LP03.50	TLP03.50
26mm	LP03.26	TLP03.26	52mm	LP03.52	TLP03.52
28mm	LP03.28	TLP03.28	54mm	LP03.54	TLP03.54
30mm	LP03.30	TLP03.30	56mm	LP03.56	TLP03.56
32mm	LP03.32	TLP03.32	58mm	LP03.58	TLP03.58
34mm	LP03.34	TLP03.34	60mm	LP03.60	TLP03.60



CAT. No. : LSS.04 / TLSS.04

Cancellous Screw Dia. 4.0mm with Locking Head Screws
Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium
20mm	LSS.04.20	TLSS.04.20
25mm	LSS.04.25	TLSS.04.25
30mm	LSS.04.30	TLSS.04.30
35mm	LSS.04.35	TLSS.04.35
40mm	LSS.04.40	TLSS.04.40
45mm	LSS.04.45	TLSS.04.45
50mm	LSS.04.50	TLSS.04.50
55mm	LSS.04.55	TLSS.04.55
60mm	LSS.04.60	TLSS.04.60
65mm	LSS.04.65	TLSS.04.65
70mm	LSS.04.70	TLSS.04.70



CAT. No. : LS.03 / TLS.03

3.5mm Locking Head Screw
Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium
10mm	LS.03.10	TLS.03.10
12mm	LS.03.12	TLS.03.12
14mm	LS.03.14	TLS.03.14
16mm	LS.03.16	TLS.03.16
18mm	LS.03.18	TLS.03.18
20mm	LS.03.20	TLS.03.20
22mm	LS.03.22	TLS.03.22
24mm	LS.03.24	TLS.03.24
26mm	LS.03.26	TLS.03.26
28mm	LS.03.28	TLS.03.28
30mm	LS.03.30	TLS.03.30
35mm	LS.03.35	TLS.03.35
40mm	LS.03.40	TLS.03.40
45mm	LS.03.45	TLS.03.45
50mm	LS.03.50	TLS.03.50
55mm	LS.03.55	TLS.03.55
60mm	LS.03.60	TLS.03.60





Locking Plate System

CAT. No. :LS.01 / TLS.01

Locking Head Screws (Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium
8mm	LS.01.08	TLS.01.08
10mm	LS.01.10	TLS.01.10
12mm	LS.01.12	TLS.01.12
14mm	LS.01.14	TLS.01.14
16mm	LS.01.16	TLS.01.16
18mm	LS.01.18	TLS.01.18
20mm	LS.01.20	TLS.01.20
22mm	LS.01.22	TLS.01.22
24mm	LS.01.24	TLS.01.24
26mm	LS.01.26	TLS.01.26
28mm	LS.01.28	TLS.01.28
30mm	LS.01.30	TLS.01.30




CAT. No. :LP58 / LP59

CAT. No. T:LP58 / TLP59

Distal Radius Locking Plate (Stainless Steel & Titanium)

Shaft Holes	Head Holes	Stainless Steel		Titanium	
		Left	Right	Left	Right
3	5	LP58.3	LP59.3	TLP58.3	TLP59.3
5	5	LP58.5	LP59.5	TLP58.5	TLP59.5



CAT. No. :LP60 / LP61

CAT. No. T:LP60 / TLP61

Optional Buttress Locking Plate (Stainless Steel & Titanium)

Shaft Holes	Head Holes	Stainless Steel		Titanium	
		Left	Right	Left	Right
3	5	LP60.3	LP61.3	TLP60.3	TLP61.3



CAT. No. :LP62 / LP63

CAT. No. T:LP62 / TLP63

Distal Radius Locking Plate Extra Articular
(Stainless Steel & Titanium)

Shaft Holes	Head Holes	Stainless Steel		Titanium	
		Left	Right	Left	Right
3	5	LP62.3	LP63.3	TLP62.3	TLP63.3
5	5	LP62.5	LP63.5	TLP62.5	TLP63.5



Locking Plate System




CAT. No. : LP65 / TLP65

Distal Radius Locking Plate Straight

(Stainless Steel & Titanium)

Shaft Hole	Stainless Steel	Titanium
5	LP65.5	TLP65.5
6	LP65.6	TLP65.6



CAT. No. : LP68 / LP69

CAT. No. T:LP68 / TLP69

Distal Radius Locking Plate Angled (Stainless Steel & Titanium)

Shaft Holes	Head Holes	Stainless Steel		Titanium	
		Left	Right	Left	Right
3	2	LP68.3	LP69.3	TLP68.3	TLP69.3
4	2	LP68.4	LP69.4	TLP68.4	TLP69.4




CAT. No. : LP58 / LP59

CAT. No. T:LP58 / TLP59

L Distal Radius Locking Plate Angled (Stainless Steel & Titanium)

Shaft Holes	Head Holes	Stainless Steel		Titanium	
		Left	Right	Left	Right
3	2	LP58.3	LP59.3	TLP58.3	TLP59.3
4	2	LP58.4	LP59.4	TLP58.4	TLP59.4




CAT. No. : LP66 / LP67

CAT. No. T:LP66 / TLP67

L Distal Radius Locking Plate Oblique Angled (Stainless Steel & Titanium)

Shaft Holes	Head Holes	Stainless Steel		Titanium	
		Left	Right	Left	Right
3	2	LP66.3	LP67.3	TLP66.3	TLP67.3
4	2	LP66.4	LP67.4	TLP66.4	TLP67.4




CAT. No. : LP64 / TLP64

T Distal Radius Locking Plate

(Stainless Steel & Titanium)

Shaft Hole	Head Hole	Stainless Steel	Titanium
3	3	LP64.3	TLP64.3
4	3	LP64.4	TLP64.4





Locking Plate System

CAT. No. : LP23 / TLP23

Distal Fibula Plate Locking System (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
2	LP23.02	TLP23.02
3	LP23.03	TLP23.03
4	LP23.04	TLP23.04
5	LP23.05	TLP23.05
6	LP23.06	TLP23.06
7	LP23.07	TLP23.07
8	LP23.08	TLP23.08



CAT. No. : LP82 / TLP82

Radial Head Rim Plate Locking System (Left) (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
2	LP82.02	TLP82.02
3	LP82.03	TLP82.03
4	LP82.04	TLP82.04
5	LP82.05	TLP82.05



CAT. No. : LP83 / TLP83

Radial Head Rim Plate Locking System (Right) (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
2	LP83.02	TLP83.02
3	LP83.03	TLP83.03
4	LP83.04	TLP83.04
5	LP83.05	TLP83.05



CAT. No. : LP84 / TLP84

Radial Head Neck Plate Locking System (Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
2	LP84.02	TLP84.02
3	LP84.03	TLP84.03
4	LP84.04	TLP84.04
5	LP84.05	TLP84.05



Locking Plate System



CAT. No. : LP04 / TLP04

Small T Plate 3.5mm with Locking System (3 Hole Head)
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
3	LP04.03	TLP04.03
4	LP04.04	TLP04.04
5	LP04.05	TLP04.05
6	LP04.06	TLP04.06
7	LP04.07	TLP04.07
8	LP04.08	TLP04.08
9	LP04.09	TLP04.09



CAT. No. : LP06 / TLP06

Small Oblique T Plate 3.5mm with Locking System (3 Hole Head)
(Stainless Steel & Titanium)


Hole	Stainless Steel	Titanium
3	LP06.03	TLP06.03
4	LP06.04	TLP06.04
5	LP06.05	TLP06.05
6	LP06.06	TLP06.06
7	LP06.07	TLP06.07
8	LP06.08	TLP06.08
9	LP06.09	TLP06.09



CAT. No. : LP01 / TLP01

Small LCP 3.5mm with Locking (3 Hole Head)
(Stainless Steel & Titanium)


Hole	Stainless Steel	Titanium
4	LP01.04	TLP01.04
5	LP01.05	TLP01.05
6	LP01.06	TLP01.06
7	LP01.07	TLP01.07
8	LP01.08	TLP01.08
9	LP01.09	TLP01.09
10	LP01.10	TLP01.10
11	LP01.11	TLP01.11
12	LP01.12	TLP01.12



CAT. No. : LP02 / TLP02

Reconstruction 3.5mm with Locking
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
5	LP02.05	TLP02.05
6	LP02.06	TLP02.06
7	LP02.07	TLP02.07
8	LP02.08	TLP02.08
9	LP02.09	TLP02.09
10	LP02.10	TLP02.10
11	LP02.11	TLP02.11
12	LP02.12	TLP02.12
13	LP02.13	TLP02.13
14	LP02.14	TLP02.14
15	LP02.15	TLP02.15
16	LP02.16	TLP02.16





Locking Plate System

CAT. No. :LP54 / LP55

CAT. No. :TLP54 / TLP55

Distal Humerus Locking Plate 3.5mm Dorsolateral (Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
3	LP54.03	LP55.03	TLP54.03	TLP55.03
5	LP54.05	LP55.05	TLP54.05	TLP55.05
7	LP54.07	LP55.07	TLP54.07	TLP55.07
9	LP54.09	LP55.09	TLP54.09	TLP55.09



CAT. No. :LP52 / LP53

CAT. No. :TLP52 / TLP53

Distal Humerus Locking Plate 3.5mm Dorsolateral with Support (Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
3	LP52.03	LP53.03	TLP52.03	TLP53.03
5	LP52.05	LP53.05	TLP52.05	TLP53.05
7	LP52.07	LP53.07	TLP52.07	TLP53.07
9	LP52.09	LP53.09	TLP52.09	TLP53.09



CAT. No. :LP56 / LP57

CAT. No. :TLP56 / TLP57

Distal Medial Humerus Locking Plate 3.5mm (Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
3	LP56.03	LP57.03	TLP56.03	TLP57.03
5	LP56.05	LP57.05	TLP56.05	TLP57.05
7	LP56.07	LP57.07	TLP56.07	TLP57.07
9	LP56.09	LP57.09	TLP56.09	TLP57.09



CAT. No. :LP17 / LP18

CAT. No. :TLP17 / TLP18

Olecranon Plate

(Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
2	LP17.02	LP18.02	TLP17.02	TLP18.02
4	LP17.04	LP18.04	TLP17.04	TLP18.04
6	LP17.06	LP18.06	TLP17.06	TLP18.06
8	LP17.08	LP18.08	TLP17.08	TLP18.08
10	LP17.10	LP18.10	TLP17.10	TLP18.10
12	LP17.12	LP18.12	TLP17.12	TLP18.12



CAT. No. :LP21 / LP22

CAT. No. :TLP21 / TLP22

Extra Articular Distal Humerus Locking Plate (Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
4	LP21.04	LP22.04	TLP21.04	TLP22.04
6	LP21.06	LP22.06	TLP21.06	TLP22.06
8	LP21.08	LP22.08	TLP21.08	TLP22.08
10	LP21.10	LP22.10	TLP21.10	TLP22.10
12	LP21.12	LP22.12	TLP21.12	TLP22.12
14	LP21.14	LP22.14	TLP21.14	TLP22.14



Locking Plate System




CAT. No. : LP11/ TLP11

Philosh Locking System 3.5mm

(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
4	LP11.04	TLP11.04
5	LP11.05	TLP11.05
6	LP11.06	TLP11.06
7	LP11.07	TLP11.07
8	LP11.08	TLP11.08
9	LP11.09	TLP11.09
10	LP11.10	TLP11.10
12	LP11.12	TLP11.12



CAT. No. : LPS.09 / TLPS.09

Calcaneum Locking Plate

(Stainless Steel & Titanium)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
64	LPS.09.64	LPS.09.64	TLPS.09.64	TLPS.09.64
69	LPS.09.69	LPS.09.69	TLPS.09.69	TLPS.09.69
76	LPS.09.78	LPS.09.78	TLPS.09.78	TLPS.09.78
81	LPS.09.81	LPS.09.81	TLPS.09.81	TLPS.09.81




CAT. No. : LPS.09/ TLPS.09

Calcaneum Plate

(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
60	LPS.09.60	TLPS.09.60
70	LPS.09.70	TLPS.09.70



CAT. No. : LP105 / TLP105

Posto Medial Locking Plate

(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
4	LP105.04	TLP105.04
5	LP105.05	TLP105.05
6	LP105.06	TLP105.06
7	LP105.07	TLP105.07
8	LP105.08	TLP105.08



CAT. No. : LP36 / TLP36

Medial High Tibial Plate Locking (Tapper Two Start Thread)

(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
4	LP36.04	TLP36.04
5	LP36.05	TLP36.05
6	LP36.06	TLP36.06
7	LP36.07	TLP36.07
8	LP36.08	TLP36.08





Locking Plate System

CAT. No. :LP13 / LP14

CAT. No. :TLP13 / TLP14

3.5mm Low Bend Distal Medial Tibia Locking Plate (Stainless Steel & Titanium)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
5	LP13.05	LP14.05	TLP13.05	TLP14.05
7	LP13.07	LP14.07	TLP13.07	TLP14.07
9	LP13.09	LP14.09	TLP13.09	TLP14.09
11	LP13.11	LP14.11	TLP13.11	TLP14.11
13	LP13.13	LP14.13	TLP13.13	TLP14.13




CAT. No. :LP19 / LP20

CAT. No. :TLP19 / TLP20

3.5mm Anterolateral Distal Tibia Locking Plate

(Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
5	LP19.05	LP20.05	TLP19.05	TLP20.05
7	LP19.07	LP20.07	TLP19.07	TLP20.07
9	LP19.09	LP20.09	TLP19.09	TLP20.09
11	LP19.11	LP20.11	TLP19.11	TLP20.11
13	LP19.13	LP20.13	TLP19.13	TLP20.13
15	LP19.15	LP20.15	TLP19.15	TLP20.15
17	LP19.17	LP20.17	TLP19.17	TLP20.17
19	LP19.19	LP20.19	TLP19.19	TLP20.19
21	LP19.21	LP20.21	TLP19.21	TLP20.21



CAT. No. :LP80 / LP81

CAT. No. :TLP80 / TLP81

3.5mm Distal Medial Tibia Locking Plate

(Stainless Steel & Titanium)(Left / Right)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
4	LP80.04	LP81.04	TLP80.04	TLP81.04
6	LP80.06	LP81.06	TLP80.06	TLP81.06
8	LP80.08	LP81.08	TLP80.08	TLP81.08
10	LP80.10	LP81.10	TLP80.10	TLP81.10
12	LP80.12	LP81.12	TLP80.12	TLP81.12



CAT. No. :LPS.69 / TLPS.69

3.5mm Proximal Medial Tibia Locking Plate

(Stainless Steel & Titanium)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
4	LPS.69.04	TLPS.69.04		
6	LPS.69.06	TLPS.69.06		
8	LPS.69.08	TLPS.69.08		
10	LPS.69.10	TLPS.69.10		
12	LPS.69.12	TLPS.69.12		
14	LPS.69.14	TLPS.69.14		
16	LPS.69.16	TLPS.69.16		
18	LPS.69.18	TLPS.69.18		
20	LPS.69.20	TLPS.69.20		



Locking Plate System



CAT. No. : LP62 / LP65

CAT. No. : TLP62 / TLP65

3.5MM Clavicle Hook Plate

(Stainless Steel & Titanium)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
4	LP62.04	LP65.04	TLP62.04	TLP65.04
5	LP62.05	LP65.05	TLP62.05	TLP65.05
6	LP62.06	LP65.06	TLP62.06	TLP65.06
7	LP62.07	LP65.07	TLP62.07	TLP65.07




CAT. No. : LP70 / LP71

CAT. No. : TLP70 / TLP71

Superior Anterior Clavicle Plate

(Stainless Steel & Titanium)

Shaft Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
6	LP70.06	LP71.06	TLP70.06	TLP71.06
7	LP70.07	LP71.07	TLP70.07	TLP71.07
8	LP70.08	LP71.08	TLP70.08	TLP71.08



CAT. No. : LP07/ TLP07

Cloverleaf Plate 3.5mm with Locking (2 Start)

(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
5	LP07.05	TLP07.05
6	LP07.06	TLP07.06
7	LP07.07	TLP07.07
8	LP07.08	TLP07.08
9	LP07.09	TLP07.09
10	LP07.10	TLP07.10
11	LP07.11	TLP07.11
12	LP07.12	TLP07.12



CAT. No. : LS.04 / TLS.04

Cortex Screw Dia. 5.0mm with Locking Head Screws (Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium	Length	Stainless Steel	Titanium
14mm	LS.04.14	TLS.04.14	38mm	LS.04.38	TLS.04.38
16mm	LS.04.16	TLS.04.16	40mm	LS.04.40	TLS.04.40
18mm	LS.04.18	TLS.04.18	42mm	LS.04.42	TLS.04.42
20mm	LS.04.20	TLS.04.20	44mm	LS.04.44	TLS.04.44
22mm	LS.04.22	TLS.04.22	46mm	LS.04.46	TLS.04.46
24mm	LS.04.24	TLS.04.24	48mm	LS.04.48	TLS.04.48
26mm	LS.04.26	TLS.04.26	50mm	LS.04.50	TLS.04.50
28mm	LS.04.28	TLS.04.28	52mm	LS.04.52	TLS.04.52
30mm	LS.04.30	TLS.04.30	54mm	LS.04.54	TLS.04.54
32mm	LS.04.32	TLS.04.32	56mm	LS.04.56	TLS.04.56
34mm	LS.04.34	TLS.04.34	58mm	LS.04.58	TLS.04.58
36mm	LS.04.36	TLS.04.36	60mm	LS.04.60	TLS.04.60



CAT. No. : LS.06 / TLS.06

Cancellous Screw Dia. 5.0mm with Locking Head Screws

(Stainless Steel & Titanium)(Self Tapping)

Length	Stainless Steel	Titanium
25mm	LS.06.25	TLS.06.25
30mm	LS.06.30	TLS.06.30
35mm	LS.06.35	TLS.06.35
40mm	LS.06.40	TLS.06.40
45mm	LS.06.45	TLS.06.45
50mm	LS.06.50	TLS.06.50
55mm	LS.06.55	TLS.06.55
60mm	LS.06.60	TLS.06.60
65mm	LS.06.65	TLS.06.65
70mm	LS.06.70	TLS.06.70
75mm	LS.06.75	TLS.06.75
80mm	LS.06.80	TLS.06.80
85mm	LS.06.85	TLS.06.85
90mm	LS.06.90	TLS.06.90
95mm	LS.06.95	TLS.06.95
100mm	LS.06.100	TLS.06.100






Locking Plate System

CAT. No. : LP24/ TLP24

LCP 4.5mm Narrow with Locking System
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
2	LP24.02	TLP24.02
3	LP24.03	TLP24.03
4	LP24.04	TLP24.04
5	LP24.05	TLP24.05
6	LP24.06	TLP24.06
7	LP24.07	TLP24.07
8	LP24.08	TLP24.08
9	LP24.09	TLP24.09
10	LP24.10	TLP24.10
12	LP24.12	TLP24.12
14	LP24.14	TLP24.14
16	LP24.16	TLP24.16



CAT. No. : LP25/ TLP25

LCP 4.5mm Broad with Locking System
(Stainless Steel & Titanium)


Hole	Stainless Steel	Titanium
4	LP24.04	TLP24.04
5	LP24.05	TLP24.05
6	LP24.06	TLP24.06
7	LP24.07	TLP24.07
8	LP24.08	TLP24.08
9	LP24.09	TLP24.09
10	LP24.10	TLP24.10
12	LP24.12	TLP24.12
14	LP24.14	TLP24.14
16	LP24.16	TLP24.16
18	LP24.18	TLP24.18



CAT. No. : LPS.22/ TLPS.22

T Buttress Plate 4.5mm with Locking System
(Stainless Steel & Titanium)


Hole	Stainless Steel	Titanium
3	LPS.24.03	TLPS.24.03
4	LPS.24.04	TLPS.24.04
5	LPS.24.05	TLPS.24.05
6	LPS.24.06	TLPS.24.06
7	LPS.24.07	TLPS.24.07
8	LPS.24.08	TLPS.24.08
9	LPS.24.09	TLPS.24.09
10	LPS.24.10	TLPS.24.10



CAT. No. : LPS.20/ TLPS.20

L Buttress Plate 4.5mm Left Leg with Locking System
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
3	LPS.20.03	TLPS.20.03
4	LPS.20.04	TLPS.20.04
5	LPS.20.05	TLPS.20.05
6	LPS.20.06	TLPS.20.06
7	LPS.20.07	TLPS.20.07
8	LPS.20.08	TLPS.20.08
9	LPS.20.09	TLPS.20.09
10	LPS.20.10	TLPS.20.10



CAT. No. : LPS.21/ TLPS.21

L Buttress Plate 4.5mm Right Leg with Locking System
(Stainless Steel & Titanium)

Hole	Stainless Steel	Titanium
3	LPS.21.03	TLPS.21.03
4	LPS.21.04	TLPS.21.04
5	LPS.21.05	TLPS.21.05
6	LPS.21.06	TLPS.21.06
7	LPS.21.07	TLPS.21.07
8	LPS.21.08	TLPS.21.08
9	LPS.21.09	TLPS.21.09
10	LPS.21.10	TLPS.21.10



Locking Plate System



CAT. No. :LP34 / LP35

CAT. No. :TLP34/ TLP35

Lateral Tibia Plate with Locking Plate (5mm Head Hole)

(Stainless Steel & Titanium)

Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
5	LP34.05	LP35.05	TLP34.05	TLP35.05
7	LP34.07	LP35.07	TLP34.07	TLP35.07
9	LP34.09	LP35.09	TLP34.09	TLP35.09
11	LP34.11	LP35.11	TLP34.11	TLP35.11
13	LP34.13	LP35.13	TLP34.13	TLP35.13



CAT. No. :LP30 / LP31

CAT. No. :TLP30 / TLP31

Distal Femur Plate with Locking Plate (5mm Head Hole)

(Stainless Steel & Titanium)

Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
5	LP30.05	LP31.05	TLP30.05	TLP31.05
7	LP30.07	LP31.07	TLP30.07	TLP31.07
9	LP30.09	LP31.09	TLP30.09	TLP31.09
11	LP30.11	LP31.11	TLP30.11	TLP31.11
13	LP30.13	LP31.13	TLP30.13	TLP31.13
15	LP30.15	LP31.15	TLP30.15	TLP31.15



CAT. No. :LPS.72 / LPS.73

CAT. No. :TLPS.72 / TLPS.73

Proximal Femoral Plate 5mm with Locking Plate

(Stainless Steel & Titanium)

Hole	Stainless Steel		Titanium	
	Left	Right	Left	Right
4	LPS.72.04	LPS.73.04	TLPS.72.04	TLPS.73.04
6	LPS.72.06	LPS.73.06	TLPS.72.06	TLPS.73.06
8	LPS.72.08	LPS.73.08	TLPS.72.08	TLPS.73.08
10	LPS.72.10	LPS.73.10	TLPS.72.10	TLPS.73.10
12	LPS.72.12	LPS.73.12	TLPS.72.12	TLPS.73.12



CAT. No. :LP15 / LP16

CAT. No. :TLP15 / TLP16

DHS Locking Plate





(Stainless Steel & Titanium)

Hole	Stainless Steel		Titanium	
	130°	135°	130°	135°
2	LP15.02	LP16.02	TLP15.02	TLP16.02
3	LP15.03	LP16.03	TLP15.03	TLP16.03
4	LP15.04	LP16.04	TLP15.04	TLP16.04
5	LP15.05	LP16.05	TLP15.05	TLP16.05
6	LP15.06	LP16.06	TLP15.06	TLP16.06







Maxilofacial Implant and Instrument Box



Locking Plate System






VISHAL
SURGITECH PVT. LTD.

Plot no.-10, Survey no.-235, Mayur Marble Street
N/r Old Tall Post, Gondal Road NH-8B,
Kotharia, Rajkot 360022 (Gujarat-INDIA)
Ph.: - +91 (0)281 2926277, +91 955 88 02428
E-Mail: sales@vishalsurgitech.com
web: - www.vishalsurgitech.com

Clavicle



Humerus



Pelvic




Radius and Ulna




Femur



Short PFAN Long PFAN



Spine



Tibia



Screws

